


MONOFLANGE BLOCK & BLEED

MF27G

Special Monoflange instrument manifold with needle type pattern valve with non rotating spindle tip for positive bubble tight shut of function. Inlet 150/600# Flange, outlet NPT or BSP rotatable. Vent/test connection NPT female, isolating bonnet on right and venting bonnet at left-instrument connection on top or side (multifunctional)




For Further details please contact factory.

CONTROL MANAGEMENT, LLC

A COMPLETE SOLUTION FOR INSTRUMENTATION WITH WORLD CLASS QUALITY

MF28S

Special Monoflange instrument manifold with needle type pattern valve with non rotating spindle tip for positive bubble tight shut off function. Inlet 150/600# Flange, outlet NPT or BSP rotatable. Vent/test connection NPT female, isolating bonnet on right and venting bonnet at left - instrument connection on top or side (multifunctional). It is supplied with a built in syphon tube system.




For Further details please contact factory.

CONTROL MANAGEMENT, LLC

A COMPLETE SOLUTION FOR INSTRUMENTATION WITH WORLD CLASS QUALITY

MF29G

Special Monoflange instrument manifold with needle type pattern valve with non rotating spindle tip for positive bubble tight shut off function. Inlet 150/600# Flange, outlet NPT or BSP rotatable. Vent/test connection NPT female, isolating bonnet on right and venting bonnet at left - instrument connection on top or side (multifunctional). It is supplied with INLET Flange 900/2500#



For Further details please contact factory.

A COMPLETE SOLUTION FOR INSTRUMENTATION WITH WORLD CLASS QUALITY